Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	65	((transmission adj power) with (bandwidth or (band adj width)) with control\$4) and ((spread adj spectrum) or cdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 21:12
L2	4004	375/130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L3	2	"6377782".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L4	2	"20020001336".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L5	6	(5128959 5673286 4907087).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L6		((transmission adj power) with (bandwidth or (band adj width)) with control\$4) and ((spread adj spectrum) or cdma) and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L7	27	iwasaki and sony and (spread adj spectrum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L8	26	nobuhiko and spread adj spectrum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09

L9	1385	375/297	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L10	· 2150	375/285	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L11	0	ieta and spread adj spectrum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L12	. 2	"5586120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L13	107	(bandwidth or (band adj width)) with (code near rate) and FEC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L14	1581	375/140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L15	340303	(bandwidth or (band adj width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/24 20:09
L16	2333	375/296	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09

L17	1	L1 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L18	15	ideta and spread adj spectrum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L19	2	"5896419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L20	7	("5321721" "5504776" "5546424").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L21	. 2	"5128959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L22	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L23	1	"bandwidth agile receivers"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L24	1	"09/891235"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09

L25	1	L1 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/10/24 20:09
L26	5	L1 and L2	IBM_TDB US-PGPUB; USPAT;	OR	ON	2007/10/24 20:09
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L27	2	L1 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L28	2	"5822701".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L29	22	(transmission adj power with bandwidth with control\$4) and (spread adj spectrum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L30	2	"7103335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/24 20:09
L31	8	("6594279" "6615382" "6654616" "69 47407").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/24 20:09
L32	12	("20030086478" "5697053" "6144841" "6377782" "6510147" "6738367").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09

	•			•		
L33		("5321721" "5504776").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _.	ON	2007/10/24 20:09
L34	. 7	("5754583" "5758271" "5930288" "60 70062").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L35	3	L1 and L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L36	2	"5966377".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L37	392	(bandwidth or (band adj width)) with (code near rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:12
L38	2	"6052408".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L39	43	am with pm with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:09
L40	2	"6252898".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 20:12

L42	3	(((transmission adj power) with (bandwidth or (band adj width)) with control\$4) and ((spread adj spectrum) or cdma)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 21:13
L43	0	(((transmission adj power) with (bandwidth or (band adj width)) with control\$4) and ((spread adj spectrum) or cdma) and gain adj distribution). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 21:13

"spread spectrum" receiver transmitter "control unit" "transmission bandwidth" "transmis... Page 1 of 2

Web Images Video News Maps Gmail more ▼

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

<u>Google</u>

"spread spectrum" receiver transmitter "contro

Search

Advanced Search Preferences

Web Results 1 - 10 of about 86 for "spread spectrum" receiver transmitter "control unit" "transmission ban

Spread spectrum communication method and system wherein data rate ... More specifically, assuming that the approaching **spread spectrum transmitter** has a carrier (a portion inputted to the **receiver** under communication) C1, ... www.freepatentsonline.com/6252898.html - 50k - <u>Cached</u> - <u>Similar pages</u> - <u>Note this</u>

METHOD AND APPARATUS FOR POWER CONTROL IN A WIRELESS COMMUNICATION ...

a second power **control unit** operative to adjust **transmission power** of the video and audio applications increase the demand for **transmission bandwidth**. ... www.freepatentsonline.com/EP1360779.html - 49k - <u>Cached</u> - <u>Similar pages</u> - <u>Note this</u> [More results from www.freepatentsonline.com]

Reuse of digital-to-analog converters in a multi-mode transmitter ...

[0013] According to a further embodiment of the **transmitter** of the present invention, said wideband modulated signal is a **spread spectrum** signal. ... www.freshpatents.com/Reuse-of-digital-to-analog-converters-in-a-multi-mode-**transmitter**-dt20061026ptan2006... - 35k - Cached - Similar pages - Note this

Pulse or digital communications inventions 200606

20060140253 - Ultra-wideband **transmitter** and transceiver using the same: An ... The invention is based on determining by the **spread spectrum receiver** ... www.freshpatents.com/Pulse-or-digital-communications-dt200606ntc375.php - 194k - Cached - Similar pages - Note this
[More results from www.freshpatents.com]

Frequency-hopping spread-spectrum modulation for digital ...

limited bandwidth, restricted **transmission power**, high The **transmitter** section. needs no further discussion. At the **receiver**, two matched filters MF, ... ieeexplore.ieee.org/iel1/49/1961/00054466.pdf?arnumber=54466 - <u>Similar pages</u> - <u>Note this</u>

A resource management strategy in wireless multimedia ...

associated **transmission power**. Resource management strate- C. **Receiver SNR** and **Transmitter SNR**, Mobile Power Control ... ieeexplore.ieee.org/iel5/6046/27196/01208496.pdf - <u>Similar pages</u> - <u>Note this</u> [More results from ieeexplore.ieee.org]

Radiotelephone system with the character of a local or auxiliary ...

The message is selected in the **receiver** from among the plurality of spectrally ... ratio can be achieved in exchange for a great **transmission bandwidth**. ... www.patentstorm.us/patents/5533030-description.html - 35k - Cached - Similar pages - Note this

Adaptive transmission channel allocation method and system for ISM ... Method and apparatus for spread spectrum channel assignment averaging of RSSI, transmission power, average packet error rate, average bit error rate, ... www.patentstorm.us/patents/6760317-description.html - 65k - Cached - Similar pages - Note this
[More results from www.patentstorm.us]

Wireless LAN Applications

defined as the ratio of **transmission bandwidth** and information band- ... and complex **transmitter receiver** pair. A good chipping sequence is ...

"spread spectrum" receiver transmitter "control unit" "transmission bandwidth" "transmis... Page 2 of 2 www.springerlink.com/index/x56g2g5q414k7024.pdf - Similar pages - Note this

[PDF] Throughput Optimization and Transmitter Power Saving (TOTPS ... File Format: PDF/Adobe Acrobat - View as HTML frame is transmitted from the receiver to the transmitter. terminals, the speed of surrounding objects and the transmission bandwidth of the. signal. ... scholar.lib.vt.edu/theses/available/etd-07202006-230155/ unrestricted/disst_aft_defense_09_06_2006_CWB_mo.pdf - Similar pages - Note this

1 2 3 4 5 6 **Next**

Download Google Pack: free essential software for your PC

"spread spectrum" receiver transmitt | Search


Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

"spread spectrum" receiver transmitter "control unit" "transmission bandwidth" "transmis Page 1 of 2
Web Images Video News Maps Gmail more ▼
drjatorres@gmail.com My Notebooks Web History My Account Sign out
Google "spread spectrum" receiver transmitter "contro Search Preferences
Web Results 1 - 5 of 5 for "spread spectrum" receiver transmitter "control unit" "transmission bandwidth"
Tip: Try removing quotes from your search to get more results.
Spread spectrum communication method and system wherein data rate More specifically, assuming that the approaching spread spectrum transmitter has a carrier (a portion inputted to the receiver under communication) C1, www.freepatentsonline.com/6252898.html - 50k - Cached - Similar pages - Note this
Patents in Class 455/452.1 The receiver implements a procedure that instructs the transmitter to in communication quality despite failure to control of transmission power in a freepatentsonline.com/CCL-455-452.1-p6.html - 68k - Cached - Similar pages - Note this
Multiplex communications inventions 200604 20060077904 - Method for allocating transmission bandwidth in a 20060072610 - Receiver, transmitter, method and systems for processing a network data www.freshpatents.com/Multiplex-communications-dt200604ntc370.php - 311k - Cached - Similar pages - Note this
Telecommunications inventions 200601 The control unit detects a 20060003691 - Broadcast receiver: A broadcast 20060003757 - Wireless spread spectrum communication platform using www.freshpatents.com/Telecommunications-dt200601ntc455.php - 278k - Cached - Similar pages - Note this [More results from www.freshpatents.com]
[PDF] ABSTRACT File Format: PDF/Adobe Acrobat source rate and channel rate, where the total transmission bandwidth is fixed. We in the spatial separation between a receiver and transmitter https://drum.umd.edu/dspace/bitstream/1903/334/1/dissertation.pdf - Similar pages - Note this
In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed. If you like, you can repeat the search with the omitted results included.
Download Google Pack: free essential software for your PC
"spread spectrum" receiver transmitt Search
Search within results Language Tools Search Tips Dissatisfied? Help us improve

"spread spectrum" AND receiver AND transmitter AND "control unit" AND "transmissio... Page 1 of 1

SCIFUS for scientific information only



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

D	a	٠i،	_	6	_	-	 -	h
ю.	-15	311	_		-	-		п

Advanced Search Search Preferences

"spread spectrum" AND receiver AND transr	nitter AND Se	earch
✓ Journal sources ✓ Preferred Web sources ✓ O	ther Web sources	Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
- check the spelling of all words
- spell words in a different way, for example using American spelling
- write abbreviations and acronyms in full
- use alternative words that have the same meaning
- search using fewer or more general words

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> <u>Advertising</u> | <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>





About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

	"spread spectrum" AND receiver AND transmitter AND Search
	✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase
Searched for::	:All of the words: "spread spectrum" AND receiver AND transmitter AND "control unit" AN
Found::	:1 total 0 journal results 1 preferred web results
Sort by::	relevance <u>date</u>
1. Spread s transmitt Eto, Yos STATES I patno: US transmitt commun and at transmitt	pectrum communication method and system wherein data rate of data to be red is changed in accordance with transmission quality hizumi / Asahina, Takashi (Hitachi Denshi Kabushiki Kaisha), UNITED PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 2001 66252898 mitter and a receiver, receivedsignals to be spread spectrum redcase, the transmitter 6 and the receiver 13 dedicateda desired nication quality. Next, aside by a spread spectrum communicationband ansmission power per band
· .	iii (ast
	read spectrum" AND receiver AND transmitter AND Search ournal sources Preferred Web sources Other Web sources Exact phrase

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> Advertising | Tell A Friend | Terms Of Service | Privacy Policy | Legal

"spread spectrum" AND receiver AND transmitter AND "control unit" AND "transmissio... Page 1 of 1

for scientific information only

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

		"spread spectr	rum" AND receiver	AND transmitter	AND	Search	
	•	✓ Journal sources	Preferred Web so	ources 🗹 Other W	eb sources	Exact phrase	
		•					
Search	ned for::	:All of the words:	"spread spectrum" /	AND receiver AND	transmitte	er AND "control ur	nit" AN
	Found::	:1 total 0 jour	nal results <u>1 prefe</u> r	red web results	0 other w	eb results	
9	Sort by::	:relevance <u>dat</u>	<u>:e</u>				`
	Spread specification of the specific sp	ed is changed in hizumi / Asahin hizumi / Asah	Email checked result inication method and accordance with trana, Takashi (Hitaka DEMARK OFFICE Greiver, receivedsiansmitter 6 and the Next, aside by a ver per band	d system wherei ansmission quali chi Denshi Kab RANTED PATENT gnals to be spre ne receiver 13 co a spread spectr	ty ushiki Ka r, Jun 200 ad specti dedicated um comm	e of data to be isha), UNITED ruma desired hunicationbanc	
		•		 61	::(ast		
	***************************************	Annual to the community and a constraint over	AND receiver AND t		Sea urces E	rch kact phrase	

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> Advertising | Tell A Friend | Terms Of Service | Privacy Policy | Legal

for scientific information only

refine your research

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

		"spread spectru	m" AND receiver AND	transmitter AND	Search	
		✓ Journal sources	✓ Preferred Web sources	Other Web sources	Exact phrase	
Sear	ched for:: Found::	:10 total <u>1 jour</u>	spread spectrum" AND re			' AN
	Sort by::	:relevance <u>date</u>	_	•		
1.	Throughp TOTPS (E' Mo, Tian approact to achieve the link th	ut Optimization and TOTPS) Algorithm min, Oct 2006 th of adjusting line and TOTPS algorithm aroughput, transitions.	Email checked results and Transmitter Power S for IEEE 802.11 k parameters like tran m tends to reduce the mitter power can be sa via NDLTD (Virginia	smitter power and tr transmitter power waved. This not only pr	ithm and Extended ransmission mode without degrading	Re us for po' Or Al
	similar re		VIA NOLTO (VIIGIIII	a recii)		F
<u> </u>	Spurious transpond U2270B 3	3 5.2.2.1 Carrier emissions 175 5.2 lers 315 11.2.2 C 17 ww.cse.hcmut.edu	power — limit values fo 2.3 EN 300 220-1, EN ontrol unit 316 11.3 l u.vn/~anhph/501048/r	.11.2.1.4 Microwave .ow Cost Configuratio	system for SAW	0.
3 .	SMITH, I CORPOR S.), PATE patno:WC block di 2 is a bloc receiver. Full text	Douglas G. / DIX ATION; SMITH, NT COOPERATION 19606490 agram of a spreackblock diagram A spread-spect available at pat results from Pate	SPREAD-SPECTRUM (ON, Robert C. / VAN Douglas, G.; DIXON TREATY APPLICATION of a spread-spectru rum transmitter 1 co ent office. For more of Offices	IDERPOOL, Jeffrey I, Robert, C.; VAND V, Feb 1996 ication transmitter a m communication tra mprises an input	S. (OMNIPOINT DERPOOL, Jeffrey, and receiver; FIG. ansmitter and	
4 .	Guvenc, 40] Iter technique bandwid	I. / Arslan, H., rative receivers sschemes at the thof at least 500receiver, Rake	s interference cancellat Signal Processing, 87 (Furbo MUD [57-59av e receiver are classifie MHztechnologies, tra receivers can be imp	(4), p.623-653, Apr 2 oidance through tran edthan 20%, or a t ansmission power is	.007 nsmitter-side ransmission s	
	Publishe similar re	-	available from 躇 🧖	ScienceDirect		

'sprea	ad s	pectrum" AND receiver AND transmitter AND "control unit" AND "transmissio Page 2 of
	5.	METHOD AND APPARATUS FOR POWER CONTROL IN A WIRELESS COMMUNICATION SYSTEM
,		LUNDBY, Stein A. (QUALCOMM INCORPORATED), PATENT COOPERATION TREATY APPLICATION, Aug 2002 patno: WO02065663
		that adjusts the transmitter power of oneprocess adjusts the transmitter power(s) to achievethe designated receiver . Still furtherdesirable that no transmitter uses more than11022] In a spread-spectrum system, suchratio of the transmission bandwidth , W. to the dataNoise Ratio, SNR . Processing gain Full text available at patent office. For more in-depth searching go to *LexisNexis* view all 4 results from Patent Offices
:	6.	Similar results NCC-2002 [PDF-31MB]
		Jul 2002Analysis for Slow FH/NBFM Spread-Spectrum Systems in the PresenceLow-Complexity Channel Estimation For Transmitter Diversity OFDM Systems GBER Computation for RAKE Receiver in Rayleigh Fading MohammedWireless Networking 1 Receiver For 3G DECT Physical LayerDemodulator For 3G DECT Receiver N. Hithesh, Rohit Budhiraja
		[http://www.ee.iitb.ac.in/uma/~ncc2002/proc/NCC-2002/pd] similar results
	7.	ECM645 [PDF-217K] May 2006
		28820 Single Oak Drive Temecula, CA 92590 • USA & Canada • +1(800) 437-7500 • Fax: +1 (951) 676-9209 Europe +44 (0) 23 8026 2233 • Australia +61 3 9839 2000 • Germany +49-6192-207300 www.chemicon.com • custserv@chemicon.com • techserv@chemicon.com ISO Registered worldwide Cat. No. [http://www.chemicon.com/webfiles/MSDS/ECM645MSDS.pdf] similar results
	8.	SHORT-RANGE CELLULAR BOOSTER
		MOHEBBI, Behzad, Barjasteh (MOHEBBI, Behzad, Barjasteh), PATENT COOPERATION TREATY APPLICATION, Jul 2005 patno: WO05069249
		of band radiation, and others for transmitters , receivers , repeaters and boosters, are metband, the signal may use further spread spectrum modulationIdemodulation and otherWireless Local Area Network (WLAN) receiver such as 802.1 la (where the transmitter part of 802.1 la is used in the
·		Full text available at patent office. For more in-depth searching go to view all 4 results from Patent Offices similar results
	9.	Method and apparatus for power control in a wireless communication system Lundby, Stein A., UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Aug 2002 patno:US20020111183
		process adjusts the transmitter power(s) to achievethe designated receiver . Still furtherdesirable that no transmitter uses more thanpower. [0025] In a spread-spectrum system, such asperceived by the receiver . Power controlthe ratio of the transmission bandwidth , W, to the dataSignal-to-Noise Ratio, SNR . Processing
		gain Full text available at patent office. For more in-depth searching go to View all 4 results from Patent Offices similar results
	10.	. <u>PhD.dvi</u> [PDF-6MB] Dec 2004
		45 2.8.1 Spread Spectrum 57 2.9.2 Transmitter 58 2.9.3 Receiver Frequency Hopping Spread Spectrum 62 2.34 Transmitter spectrum mask [http://wow.eecs.berkeley.edu/ergen/docs/ergen_PhD.pdf] similar results

"spread spectrum" AND receiver AND transmitter AND "control unit" AND "transmissio... Page 3 of 3

- F	m" AND receiver AND tr	ansmitter AND	Search
✓ Journal sources	✓ Preferred Web sources	Other Web sources	Exact phrase

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> <u>Advertising</u> | <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((spread spectrum and receiver and transmitter and control unit and transmission bandwidth and ☑ e-mail trans..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

No results were found.

New Search

((spread spectrum and receiver and transmitter and control unit and transmission ban Search

Check to search only within this results set

» Key

Display Format:

IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET CNF

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET Conference

Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

IEEE STD IEEE Standard

Contact Us Privacy &:

Copyright 2006 IEEE -

Indexed by Inspec°



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((spread spectrum and receiver and transmitter and control unit and transmission bandwidth and trans..."

☑ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((spread spectrum and receiver and transmitter and control unit and transmission ban

Citation C Citation & Abstract

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IET JNL

IET CNF

IEEE JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET Conference

Proceeding

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Help Contact Us Privacy &:

Copyright 2006 IEEE -

indexed by Inspec'



Welcome United States Patent and Trademark Office

☐☐Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((spread spectrum and receiver and transmitter and control unit and transmission bandwidth and trans..."

⊠ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE Journal or

IEEE JNL Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

((spread spectrum and receiver and transmitter and control unit and transmission bar

Display Format:

Check to search only within this results set

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by 園 Inspec°



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((spread spectrum and receiver and transmitter and control and bandwidth and power and snr)

⊠ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((spread spectrum and receiver and transmitter and control and bandwidth and powel

Check to search only within this results set

» Key

IET JNL

IEEE CNF

IET CNF

Display Format:

IEEE JNL

IEEE Journal or Magazine

IET Journal or Magazine

IEEE Conference

Proceeding

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by 園 Inspec*



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((spread spectrum and control and bandwidth and power and snr)<in>metadata)" Your search matched 2 of 1676180 documents.

⊠ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((spread spectrum and control and bandwidth and power and snr)<in>metadata)

Search

Check to search only within this results set

Display Format:

Citation C Citation & Abstract

» Key IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

view selected items

Select All Deselect All

1. System capacity, latency, and power consumption in multihop-routed SS networks

Ettus, M.;

Radio and Wireless Conference, 1998, RAWCON 98, 1998 IEEE

9-12 Aug. 1998 Page(s):55 - 58

Digital Object Identifier 10.1109/RAWCON.1998.709135

AbstractPlus | Full Text: PDF(272 KB) IEEE CNF

Rights and Permissions

2. Multipath propagation effects on a CDMA cellular system

Chan, N.L.B.;

Vehicular Technology, IEEE Transactions on Volume 43, <u>Issue 4</u>, Nov. 1994 Page(s):848 - 855

Digital Object Identifier 10.1109/25.330146

AbstractPlus | Full Text: PDF(888 KB) IEEE JNL

Rights and Permissions

Contact Us Privacy &:

Copyright 2006 IEEE -

indexed by 間 Inspec PALM Intranet

Application Number

Submit

IDS Flag Clearance for Application 09891235

DS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2003-10-31	13	Y	2007-05-09 00:00:00.0	CR #232884
WIDS	2003-03-26	11	Y 🔽	2007-05-09 00:00:00.0	CR #232884
WIDS	2002-05-22	9	Y	2007-05-09 . 00:00:00.0	CR #232884
WIDS	2001-06-27	7	Y	2007-05-09 00:00:00.0	CR #232884
Updaté					

Day: Wednesday

Date: 10/24/2007



PALM INTRANET

Time: 15:42:52

Foreign Information for 09/891235

Priority#	Date		Country	
193644-2000	06/28/2000		JAPAN	
Appln Info Contents Petition Inf	o Atty/Agent Info	o Continu	uity/Reexam	Foreign Data
Search Another: Application Search	#	or Patent#	4	Search
PCT //	Search	or PG PUBS Search	#	
Attorney Docket #		Search		
Bar Code #	Search			

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Day: Wednesday

Date: 10/24/2007





PALM INTRANET

Inventor Information for 09/891235

Inventor Name	City	State/Country
HOSOMI, TAKAHIRO	TOKYO	JAPAN
Appln Info Contents Petition Info	Atty/Agent Info	Continuity/Reexam Foreign
Search Another: Application # Search	Ol	r Patent# Search
PCT /	earch or PC	G PUBS #
Attorney Docket #		Search
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Day: Wednesday

Date: 10/24/2007

Time: 15:43:08



PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = HOSOMI First Name = TAKAHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09734662	6756666	150		SURFACE MOUNT PACKAGE INCLUDING TERMINAL ON ITS SIDE	HOSOMI, TAKAHIRO
09891235	Not Issued	41		Spread spectrum communication system and method therefor	HOSOMI, TAKAHIRO
10020468	7103335	150		RECEIVER USED IN SPREAD SPECTRUM COMMUNICATION SYSTEM	HOSOMI, TAKAHIRO
10269978	Not Issued	71		Information terminal apparatus, communications method, and storage medium storing program therefor	HOSOMI, TAKAHIRO
10798307	Not Issued	61	03/12/2004	Wireless terminal device	HOSOMI, TAKAHIRO

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor ноѕомі

TAKAHIRO

Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page